

Author Index

Canadian Journal of Plant Science, Volume 82, 2002

- Ablett, G.R., **133, 143, 144**
 Acharya, S.N., 95, **135, 140, 142, 143, 149, 150, 151, 457**
 Ahmadzadeh, A., **145**
 Ali, I., **231**
 Andersen, L., 751, 753
 Anderson, T., **133, 138, 144**
 Andrews, T., **137**
 Angadi, S.V., 43, 681
 Angers, D.A., 731
 Arganosa, G.C., 267
 Armstrong, K., **134**
 Asay, K.H., 329
 Asiedu, S.K., **232**
 Atlin, G.A., 421
 Auclair, J., **133**
 Awada, T., 349
- Bai, Y., **146**
 Bailey, L.D., 629
 Bakker, C.J., **227, 232**
 Ball-Coelho, B., **142, 149**
 Bamford, K.C., 53
 Bandara, M., **231**
 Banerjee, M.R., 357
 Bansal, V.K., 559
 Barnett, G.M., **135, 143**
 Baron, V., 555
 Baum, B.R., 35
 Beauchamp, E.G., **141, 148**
 Beckie, H.J., 463, 473, 625, 797
 Bélanger, G., **135, 136, 139, 148, 150, 319, 383, 621, 731**
 Benichou, M., 177
 Beulah, M., **225**
 Biederbeck, V.O., 645
 Bijl, M., 437
 Björnsson, I., **144**
 Blackwell, B., 513
 Blake, T.J., 195
 Blomquist, L.K., 153
 Bogen, A.D., 721
 Boland, G.J., **133, 825**
 Bolinder, M.A., 731
 Booth, B., **142**
 Bootsma, A., 549
 Bork, E.W., 365, 721
 Boswall, A.L., 89
 Brazolot, J., **231**
 Brégard, A., **136, 139, 150**
- Briggs, K.G., **144**
 Brown, D.M., 549
 Brown, J., 579
 Brown, K.R., 629
 Bruin, A., **142, 149**
 Buchwaldt, L., 103, 105, 107, 109, 111
 Buckley, W.T., 27
 Bullied, W.J., 53, 291
 Burnett, B., 7
 Burrows, V.D., 83
 Buss, T.J., 282, 291
 Busso, C.A., 539
 Byers, S.D., 481
- Çağ, S., 191
 Caldwell, C., **228, 229**
 Caldwell, C.A., 421
 Caldwell, C.D., 443, 551, 653
 Caldwell, C.E., **142**
 Caldwell, I., **232**
 Caldwell, T., **228**
 Cao, W., **134**
 Caprio, J.M., 755
 Carter, M.R., 785
 Castonguay, Y., 621
 Cathcart, J., **150**
 Cavers, P.B., 235
 Ceplis, D.D., **227**
 Cerkauskas, R., **225**
 Cessna, A.J., 257, 485
 Çetin, E., 191
 Chalifour, F.-P., 621
 Chandler, K., **142**
 Chang, K.F., 371, 701
 Charmley, E., **139**
 Chatson, B., 513
 Chen, Q., 451
 Chong, C., **226**
 Choo, T.M., 93, 551, **138**
 Chowdary, M., **134**
 Chu, G., **140**
 Claessens, A., **135**
 Clark, E.A., **139**
 Clarke, F.R., 27, 299, 507, 661
 Clarke, J.M., 27, 299, 415, 507, 661
 Clayton, G., 555
 Clayton, G.W., 639
 Clements, D.R., **142, D.R., 235**
 Cline, J., 165
 Cline, J.A., **229, 437**
 Cloutier, D.C., 855
 Cohen, R.D.H., 747
 Collins, L.L., 825
- Conner, R.L., 451
 Conway, P.M., 599
 Costa, C., **146**
 Coulman, B., 693
 Coulombe, J., **229**
 Cousineau, J., **230, 231**
 Couture, L., 621
 Crouse, M.D., **139**
 Cutforth, H.W., 681
- Dale, A., **231**
 Danforth, B.L., **136**
 Darbyshire, S.J., **145**
 Darroch, B.A., 95
 Darwent, A.L., 485
 Davis, A.R., 203
 Debnath, S.C., **230**
 DeEll, J., **230, 231**
 Deen, B., **147, 148**
 Degenhardt, D.F., 559
 Demianyk, C.J., 591
 Deng, Y., **146**
 DePauw, R.M., 299, 415, 507
 Derksen, D.A., **137, 307**
 Derksen, T., **138**
 Deschenes, M., **230**
 Desjardins, Y., **229**
 DeVos, M., 587, 589
 Deyl, J., 83
 Dhont, C., 621
 Dion, Y., **137**
 Donkor, N.T., 365
 Dosdall, L.M., 599
 Drapeau, R., **148, 319, 621**
 Drury, C., **138**
 Dueck, S., 103, 105, 107, 109, 111
 Duinker, P.N., **136**
 Dumois, R., **231**
 Dutilleul, P., **139**
 Duzan, H., **147**
 Dwyer, L.M., **137**
- Eaton, L., **229**
 Eaton, L.J., **225**
 Eigenbrode, S.D., 579
 El-Iklil, Y., 177
 Embree, C.G., **228**
 Emery, R.J.N., 567
 Engel, R., 273
 Entz, M.H., 43, 53, **137, 141**
 Essah, S.Y.C., 1
 Estabrooks, E.N., **227**
 Etienne, M., **138**

- Fairey, N., 555
 Fairey, N.A., 401, 709
 Falk, D.E., 134, 138, 144
 Falk, K.C., 123
 Fedak, G., 134, 138, 144
 Fernandez, M.R., 415, 507
 Fernández, O.A., 539
 Fillmore, S.A.E., 139
 Fisher, K.H., 227
 Flemmer, A.C., 539
 Flore, N.A., 21
 Foroutan-pour, K., 139
 Fowler, D.B., 407
 Fox, S.L., 153
 Francis, A., 803
 Fraser, H., 229
 Fredeen, A., 136
 Fredeen, A.F., 136
 Fredeen, A.H., 136
 Frégeau-Reid, J., 137, 513
 Friebe, D.R., 135, 143
 Friesen, G., 135, 150
 Froese, N.T., 137
 Furness, N.H., 789
- Gagnon, L., 675
 Gaidauskas-Scott, A., 140
 Gan, Y.T., 531
 Garabagi, F., 230
 Gau, M., 395
 Gaudet, D.A., 701
 Gaudiol, R., 103, 105, 107, 109, 111
 Georgallas, A., 136
 Gijzen, M., 140
 Gill, K.S., 645, 665
 Glenn, D.M., 217
 Goodwin, P.H., 133
 Gossen, B.D., 371, 687
 Graf, R.J., 451
 Grant, C., 137
 Grant, C.A., 629
 Gray, B., 232
 Groleau, Y., 230, 231
 Guak, S., 225
 Guarino, D., 231
 Gugel, R.K., 123
 Gupta, U.C., 561
- Haji, H.M., 587, 589
 Hamel, C., 146, 855
 Hampson, C.R., 165
 Hanna, L.I., 499
 Hao, X., 225, 765, 771
 Harapiak, J., 21
 Harker, K.N., 481, 485, 639
 Harper, V., 143
 Hasselback, P., 481
 Havard, P., 229
 Hawkins, G.P., 559
- Hayhoe, H.N., 149
 Herrero, B., 75
 Hill, B.D., 7, 481
 Ho, K.M., 93, 138, 551
 Hoekstra, G.J., 145
 Hogg, T., 639, 645
 Holm, F.A., 797
 Hong, S.C., 232
 Hooper, D., 228
 Hormis, Y.A., 99, 101, 425
 Howard, R.J., 371, 701
 Huang, H., 146
 Hucl, P., 85, 127, 129, 411
 Hudson, R.J., 365
 Hughes, B.R., 231
 Hume, D.J., 139, 140
 Hunt, L.A., 149
 Hutcheson, D.S., 123
 Hwang, S.F., 371, 701
- Inaba, D.J., 481
 Isobe, S., 395
 Ivany, J.A., 249, 137, 617
 Izaurrealde, C., 150
- Jannasch, R., 136
 Janovicek, K.J., 147, 148
 Jarecki, M.K., 226
 Jayas, D.S., 591
 Jefferson, P.G., 67
 Jensen, K.B., 329
 Jensen, K.I.N., 781
 Johnson, D.A., 35, 329
 Johnson, E., 645
 Johnson, E.N., 15, 611, 639
 Johnston, A., 137
 Johnston, A.M., 15, 521, 639, 645
 Ju, H.-Y., 232
- Karamanos, R.E., 21, 138
 Karrou, M., 177
 Katepa-Mupondwa, F., 337
 Kay, B.D., 141, 145
 Khanizadeh, S., 230, 231
 Kibite, S., 555
 Kiehn, F.A., 103, 105, 107, 109, 111
 King, J.R., 135, 136, 150
 Kirkland, K.J., 15, 485, 611
 Klemow, K.M., 235
 Knox, R.E., 415, 661
 Kohn, L.M., 133
 Konzak, C.F., 83
 Korchinski, A., 7
 Kulfu, K., 140
 Kulshrestha, S.N., 739
 Kutcher, H.R., 645
 Kuzyk, A.D., 451
- Lada, R., 228, 229
 Lafond, G., 645
- Lafond, G.P., 639
 Lafond, J., 150
 Lajeunesse, J., 150
 Langenberger, M.W., 203
 Lapen, D.R., 149
 Lardner, H.A., 747
 Laroche, A., 451
 Larsen, J., 134
 Laurens, F., 231
 Laverdière, M.R., 731
 Lawrence, R.L., 273
 Leblanc, M.L., 855
 Lee, E.A., 138, 140, 143, 145, 146
 Lefkovitch, L.P., 709
 Lespinasse, Y., 231
 Lester, H.R., 149
 Levasseur, A., 230
 Leyshon, A.J., 67
 Li, H., 451
 Li, Q., 579
 Liu, J., 133
 Liu, P.H., 531
 Liu, W., 148
 Loepky, H.A., 625
 Looney, N.E., 225
 Luedtke, A.N., 225
 Lukow, O., 137
- Ma, B.L., 137
 Mabood, F., 147
 MacKendrick, C.A., 136
 MacLeod, J.A., 141, 142, 653
 Main, M., 136
 Malhi, S.S., 665
 Martens, G., 137
 Martin, R., 136
 Martin, R.A., 93, 551, 138
 Martin, R.C., 136
 Mather, D., 135
 Mather, D.E., 145
 Matus-Cádiz, M., 85, 127, 129, 411
 May, W.E., 639, 645
 McCaig, T.N., 299, 415
 McCartney D., 555
 McCaughey, W.P., 337
 McClay, A.S., 861
 McConkey, B.G., 681
 McConnell, J.T., 273, 639
 McCuiston, W.L., 499
 McDiarmid, G., 83
 McDonald, C.L., 307, 531
 McDonald, M.R., 226
 McGinn, S.M., 7
 McHughen, A.G., 425
 McKenzie, R., 137
 McKeown, A., 226
 McKeown, A.W., 227, 232
 McLeod, J.G., 415
 McRae, K.B., 383

- McRae, K.D., **139**
 McVetty, P.B.E., 435
 Mellish, A., 693
 Michaels, T., **134**
 Michaels, T.E., **134**
 Michaud, R., **135, 136, 139, 148, 150,**
 319, 383, 731
 Mihelcic, N., **143**
 Miki, B., **140**
 Miller, P.R., 273, 307, 531, 645, 681
 Miller, S., **140**
 Minkevich, J.M., 591
 Mir, Z., **135, 140, 151, 457**
 Mishra, S., 587, 589
 Montani, T., 539
 More, A.F., **149**
 Morrall, R.A.A., 103, 105, 107, 109,
 111
 Moser, L.E., 349
 Moyer, J.R., 89, **135, 140, 151, 457,**
 481
 Mrabet, R., 177
 Munier-Jolain, N.G., 567
 Murray, J., **134, 143**
 Myhre, C.D., 625
- Nadeau, P., 621
 Najda, H., 701
 Najda, H.G., 687
 Nass, H., **137**
 Nass, H.G., **142, 421, 653**
 Nazarko, O.M., **137**
 Neumann, S., 825
 Neuteboom, C.E., **229**
 Nichols, D.S., **228**
 Nielsen, G.A., 273
 Nkoa, R., **229**
 Nleya, T.M., 267
 Norvell, W.A., 27
 Nowak, J., **229**
 Nybo, B., 645
- O'Donovan, T., **150**
 O'Donovan, J.T., 861
 O'Sullivan, J., 261
 Olson, K.C., 329
 Omielan, J., **139, 140**
 Orshinsky, B.R., **135, 143**
- Pageau, D., **150**
 Palavan-Ünsal, N., 191
 Pando, V., 75
 Papadopoulos, A.P., 771
 Papadopoulos, Y., **142, 653**
 Papadopoulos, Y.A., **139**
 Park, S.J., **134**
 Patterson, S.J., **142, 149, 150**
 Pauls, K.P., **133, 134, 143**
 Peng, H., 739
- Philipp, O., 751, 753
 Pietrzak, L.N., 513
 Poysa, V., **140**
 Poysa, V.W., **133, 143**
 Price, M., **139**
 Pritchard, M.K., **227**
 Prithiviraj, B., **146, 147**
 Purvis, P., **226**
 Puterka, G.J., 217
- Quamme, H.A., 755
- Rabieifar, A.R., **133**
 Racz, G.J., 629
 Rahman, S., **144**
 Rajasekaran, L.R., 195, **228, 443**
 Rajcan, I., **133, 143, 144**
 Rashid, K.Y., 99, 101, 425
 Rawluk, C., **137**
 Reddin, J., 249
 Reece, P.E., 349
 Reinprecht, Y., **133, 143**
 Richer, C., 169
 Rimmer, S.R., 435
 Rioux, J.A., 169
 Rodd, V., 551
 Romo, J.T., 739
 Ross, S.M., **150**
 Rowland, G.G., 99, 101, 425
 Roy, R.C., **142, 149**
 Russell, E., **231**
- Sadasivaiah, R.S., 415
 Salon, C., 567
 San Martin, R., 75
 Sanderson, J.B., 561
 Sanderson, K.R., **225, 561, 785**
 Sanford, K., 165
 Saulnier, M., 675
 Savard, M., **138**
 Sawai, A., 395
 Sawan, Z.M., 499
 Scarth, R., 435
 Schaafsma, A., **134, 143**
 Schaafsma, A.W., **144**
 Schacht, W.H., 349
 Schellenberg, M.P., 357
 Scott-Dupree, C., **226**
 Shiell, K.J., 157
 Shirliffe, S.J., 521
 Shrestha, A., **142**
 Sikkema, P.H., 261
 Singh, A., 337
 Singh, M., **149**
 Singh, S.P., 491
 Slingerland, K., **229**
 Slinkard, A., 113, 117, 121
 Slinkard, A.E., 103, 105, 107, 109,
 111, 429, 433
- Sloan, A., 751, 753
 Smith, D.L., **139, 141, 146, 147**
 Smith, S.R., **135, 150**
 Smith, S.R., Jr., 53, 337
 Soleimani, V.D., 35
 Soroka, J.J., 687
 Souleimanov, A., **146, 147**
 Spaner, D., **149, 221**
 Sperry, E., **138**
 Specht, E.G., 781
 Staebler, M.A., **145**
 Stevenson, F.C., 15, 463, 531, 611
 Stewart, G., **148**
 Stewart-Wade, S.M., 825
 Stiles, A., **228, 443**
 Stoskopf, N.C., 1
 St-Pierre, R.G., 157
 Stringam, G.R., **144, 559**
 Strommer, J., **230**
 Sturz, A.V., **229**
 Sullivan, J.A., **227, 231**
 Sunohara, M.D., **149**
 Surrette, M.A., **229**
 Susko, D.J., 803
 Swanton, C.J., **142, 150**
 Swartz, H.J., **231**
- Tamburic-Ilincic, L., **144**
 Taylor, J.H., **133**
 Terán, H., 491
 Theriault, R., **139**
 Thiagarajah, M.R., 559
 Thomas, A.G., 463
 Thomas, J.E., **135, 142, 149, 150**
 Thomas, K.L., **133**
 Thomas, K.M., **139**
 Threadgill, P.F., 235
 Timlick, B., 591
 Tinker, N.A., **140**
 Todd, A.G., **149**
 Tollenaar, M., **139, 145, 146, 148**
 Townley-Smith, L., 485
 Tremblay G., 621
 Tremblay, G.F., **135, 148, 319, 383**
 Tremblay, G.J., 675
 Tremblay, N., **229**
 Trevisan, L.M., **136**
 Turnbull, G.D., 371, 701
 Tworowski, T.J., 217
 Tyler, R.T., 267
- Uchiyama, K., 395
 Ulrich, D., 681
 Upadhyaya, M.K., 789
- Valencia-Barrera, R.M., 75
 Valentínuz, O., **139**
 Vallejos, C.E., **134**
 Van Acker, R.C., **137**

- Vanden Heuvel, J.E., 227
Vandenberg, A., 103, 105, 107, 109,
111, 113, 117, 121, 267, 429, 433
VandenBygaart, A.J., 141
Vera, C., 103, 105, 107, 109, 111
Vessey, J.K., 282, 291
Vigneux, J., 135, 143
Voisin, A.-S., 567
Voldeng, H.D., 137
Voroney, R.P., 226
Vyn, T.J., 147, 148

Waddington, J., 67, 307
Wagner-Riddle, C., 142
Wahab, J., 103, 105, 107, 109, 111
Wajahatullah, M.K., 146, 147
Walker, D., 551
Walker, D.F., 142, 421, 653

Walker, J.A., 135
Wang, D., 146
Wang, H., 299, 507
Warkentin, T., 113, 121, 751, 753
Warkentin, T.D., 253
Warner, J., 225, 765
Warwick, S.I., 803
Waterer, D., 185, 583
Weaver, S., 138
Wees, D., 226, 232
Weir, A., 143
Welacky, T., 138
Westerveld, S., 226
White, N.D.G., 591
White, P.H., 149
Willms, W.D., 721
Woosaree, J., 95
Wright, S.B.M., 747

Xue, A., 751, 753
Xue, A.G., 253

Yamaguchi, H., 395
Yan, W., 134
Yang, R.-C., 599
Yang, X.M., 141
Ying, J., 145, 146
Young, D.S., 148
Yu, K., 133, 134, 140, 143

Zand, E., 473, 625
Zandstra, J.W., 233
Zatylny, A.M., 157
Zhang, T., 225
Zhang, T.Q., 138, 765
Zhao, G., 144
Zhou, X., 146, 147

Subject Index

Canadian Journal of Plant Science, Volume 82, 2002

- Acclimation
 AMBIOL and drought acclimation, 195
- Aceria tosichella*
 resistance to rust, mildew and wheat curl mite, 451
- Acetylsalicylic acid
 salicylates and germination promotion at low temperature, 443
- Acid detergent fibre
 weed management in perennial cereal rye, 457
- Acifluorfen
 herbicide injury and planting date affect soybean yield, 249
- Addition lines
 resistance to rust, mildew and wheat curl mite, 451
- Alfalfa
 alfalfa seedbed preparation, 371
 fusarium in alfalfa harvested in autumn, 621
 grazing tolerance of alfalfa, 337
 IVDMD and RUP in alfalfa leaves and stems, 383
 short-lived intercrop forages affect perennial forage yields, 67
- Alfalfa (single year)
 grain yield and N benefits from single-year legumes, 53
- Alpine bluegrass
 AEC Glacier alpine bluegrass, 95
- Alternative cropping practice
 N fertilizer placement for canola, 15
- Amaranthus retroflexus*
 susceptibility of weeds to UV-B radiation, 789
- Aminomethylphosphonic acid
 residues
 glyphosate residues in field pea, barley and flax, 485
- Amplified restriction fragment polymorphism
 identification of Canadian durum wheat cultivars, 35
- Antioxidant
 AMBIOL and drought acclimation, 195
- Apple, 227, 231
 apple fruit size preference, 165
 chemical thinning of apples unaffected by spray timing, 437
- Apple breeding, 231
- Apple cider, 231
- Application time
 correcting S deficiency in canola in the growing season, 665
- Apron (metalaxyl)
 inoculant and seed fungicide for field pea, 645
- Atmospheric deposition
 herbicides in rainfall affecting sensitive crops, 481
- Avena fatua*
 competitiveness of canola with wild oat, 473
 herbicide-resistant wild oat, 463
 wild oat response to herbicides in canola, 797
- Avena sativa* (see Oat)
- Bacillus cereus* UW85
 effects of *Bacillus cereus* UW85 on grain legumes, 283, 291
- Backcross progeny
 backcross progenies of *T. medium* × *T. pratense*, 395
- Barley
 barley mixtures and yield, 1
 glyphosate residues in field pea, barley and flax, 485
 timing of glyphosate application in direct-seeding systems, 611
- Barley, feed
 AC Maple barley, 93
 AC Vision barley, 551
 effects of tartary buckwheat on barley, 861
- Barley, six-rowed
 AC Maple barley, 93
- Bean, common
 bean response to hydrophobic mineral particles, 217
 drought resistance in common bean, 491
 effects of *Bacillus cereus* UW85 on grain legumes, 291, 283
- Bee, foraging, honey
 caraway flowering and honey bee foraging activity, 203
- Bentazon
 herbicide injury and planting date affect soybean yield, 249
- Berlese funnel
 detection of *Cryptolestes ferrugineus* in stored grain, 591
- Biocontrol, 232
- Biomass
 agronomic performance of different stature sunflower, 43
- Biomass, root
 pea root biomass estimation using xylem sap Na⁺, 567
 shoot to root ratios of forage crops, 731
- Blackleg resistant
 Kelsey summer rape, 559
- Blossom-end rot
 row arrangement and plant density of processing tomato, 765
- Blueberry, 225
 lowbush blueberry response to hexazinone, 781
- Blueberry, wild, 225
- Bluegrass, alpine
 AEC Glacier alpine bluegrass, 95
- Blueweed
 Echium vulgare L., 235
- Boll production
 climatic factor effects on cotton production, 499
- Boll retention
 climatic factor effects on cotton production, 499
- Boron
 rutabaga brown-heart control, 561
- Botanical origin
 characterization of honeys, 75
- Brassica juncea* (L.)
 myrosinase activity in *B. juncea* progenies, 579
- Brassica napus* (L.) (see Canola)
- Brassica napus* ssp. *rapifera* (Metzg.) Sinsk (see Rutabaga)
- Brassica rapa* (L.) (see Canola)
- Breeding material
 backcross progenies of *T. medium* × *T. pratense*, 395
- Broadcast seeding
 P fertility of fall and spring seeded canola, 21
- Brome, smooth
 Bromus-poa response to defoliation, 365

- Bromegrass, meadow
winter survival of grasses, 701
- Bromoxynil resistance
Renegade BX summer oilseed rape, 435
- Bromus inermis* (Leyss.) (see Brome, smooth)
- Brown-heart
rutabaga brown-heart control, 561
- Bunt resistance
AC2000 hard white spring wheat, 415
- Burning
residue management increases seed yield, 687
- Cabbage, **226**
- Cabbage, Chinese, **225**
- Calcite
effect of gypsum on rutabaga, 785
- Calcium
effect of gypsum on rutabaga, 785
- Canada, **227**
Taraxacum officinale G. H. Weber ex Wiggers, 825
- Canada thistle
herbicide effect on Canada thistle varieties, 625
- Canadian prairies
neural networks to predict wheat maturity, 7
- Canadian Western Red Spring
yield and dry matter of recent Canadian spring wheat cultivars, 299
- Canning quality
genotype and environment effect on chickpea canning quality, 267
- Canola
competitiveness of canola with wild oat, 473
correcting S deficiency in canola in the growing season, 665
N fertilizer placement for canola, 15
N management and tillage effects in canola, 629
P fertility of fall and spring seeded canola, 21
sulphur and root maggots in canola, 599
wild oat response to herbicides in canola, 797
- Capsella bursa-pastoris* L.
susceptibility of weeds to UV-B radiation, 789
- Caraway
caraway flowering and honey bee foraging activity, 203
- Carbon inputs, annual
shoot to root ratios of forage crops, 731
- Carrot
AMBIOL and drought acclimation, 195
salicylates and germination promotion at low temperature, 443
- Carum carvi* (see Caraway)
- Chemical thinning
chemical thinning of apples unaffected by spray timing, 437
- Chenopodium album*
susceptibility of weeds to UV-B radiation, 789
- Cherry
flower and fruit loss in cherry, 157
- Chestnut, **232**
- Chickpea
inoculation failure of field pea and chickpea, 273
- Chickpea, Kabuli
genotype and environment effect on chickpea canning quality, 267
- Chinese cabbage, **225**
- Chlorophyll, **226**
- Chlorophyll
metabolisme du stress salin chez la tomate, 177
- Choke cherry
flower and fruit loss in cherry, 157
- Cicer arietinum*
emergence and yields of chickpea and dry pea, 531
genotype and environment effect on chickpea canning quality, 267
- Cider production, **231**
- Cirsium arvense*
herbicide effect on Canada thistle varieties, 625
- Climate change
weather and grape production, 755
- Clipping
residue management increases seed yield, 687
- Cloning
identification of Canadian durum wheat cultivars, 35
- Clover, red
N management of spring milling wheat, 653
- Clubroot
rutabaga in eastern Canada, 221
- Combine
plot combine modified for harvesting single rows, 153
- Combining
determination of moisture in grass seeds, 401
- Common bean
effects of *Bacillus cereus* UW85 on grain legumes, 291
drought resistance in common bean, 491
- Common scab
soil pH and potato scab, 583
- Compas[®]
Renegade BX summer oilseed rape, 435
- Competition
competitiveness of canola with wild oat, 473
- Compost leachate, **226**
- Conservation tillage
N management and tillage effects in canola, 629
- Consumer preference
apple fruit size preference, 165
- Controlled conditions
pea root biomass estimation using xylem sap Na⁺, 567
- Coriandrum sativum* L., **231**
- Corn
sweet corn tolerance to primisulfuron, 261
- Corn spurry
banded herbicides in potatoes, 617
- Cotton
climatic factor effects on cotton production, 499
- Cotyledon
myrosinase activity in *B. juncea* progenies, 579
- Cotyledon growth
growth response to meta-topolin, 191
- Creeping foxtail
foxtail barley suppression, 89
- Creeping red fescue
winter survival of grasses, 701
- Crested wheatgrass
morphological characteristics of crested wheatgrass, 693
- Croissance
rusticité et croissance de *Thuja occidentalis* L. et de cinq cultivars, 169
- Crop density
chemical thinning of apples unaffected by spray timing, 437
- Crop heat units
moisture in maize kernels at physiological maturity, 549
- Crop maturity
P fertility of fall and spring seeded canola, 21

- Crop protection
 bean response to hydrophobic mineral particles, 217
- Crop sequence
 cropping sequence affects wheat productivity, 307
- Cropping practice, alternative
 N fertilizer placement for canola, 15
- Cropping system
 grain yield and N benefits from single-year legumes, 53
- Crown diameter
 morphological characteristics of crested wheatgrass, 693
- Crude protein
 Bromus-poa response to defoliation, 365
- Cryptolestes ferrugineus*
 detection of *Cryptolestes ferrugineus* in stored grain, 591
- Cultivar
 rusticité et croissance de *Thuja occidentalis* L. et de cinq cultivars, 169
 sweet corn tolerance to primisulfuron, 261
- Cultivar description
 AC2000 hard white spring wheat, 415
 AC Grandview winter wheat, 421
 AC Maple barley, 93
 ACS-C7 summer turnip rape, 123
 AEC Glacier alpine bluegrass, 95
 CDC Arras flax, 99
 CDC Bethune flax, 101
 CDC Glamis lentil, 103
 CDC Grandora lentil, 105
 CDC Handel field pea, 117
 CDC Minuet field pea, 113
 CDC Montero field pea, 121
 CDC Mozart field pea, 429
 CDC Normandy flax, 425
 CDC Raptor winter wheat, 407
 CDC Robin lentil, 111
 CDC Sovereign lentil, 107
 CDC Valour flax, 427
 CDC Vantage lentil, 109
 CDC Verdi field pea, 433
 CT144 flue-cured tobacco, 587
 CT572 flue-cured tobacco, 589
 DS Admiral field pea, 751
 DS Dominator field pea, 753
 Kelsey summer rape, 559
 Murphy oat, 555
- Cultivation
 economics of clubmoss control, 739
- Cylindrocarpon*, 232
- Dandelion
 Taraxacum officinale G. H. Weber ex Wiggers, 825
- Decision support system
 effects of tartary buckwheat on barley, 861
- Defoliation
 root growth, appearance and disappearance in perennial grasses, 539
 rough fescue (*Festuca campestris* Rydb.) response to heat injury, 721
- Delia floralis*
 sulphur and root maggots in canola, 599
- Delia radicum*
 sulphur and root maggots in canola, 599
- Densité de peuplement
 effet de la densité de peuplement sur soya, 675
- Digestibility
 weed management in perennial cereal rye, 457
- 2,6-dihydroxybenzoic acid
 salicylates and germination promotion at low temperature, 443
- Direct seeding
 N fertilizer placement for canola, 15
 N management and tillage effects in canola, 629
- Disease, 232
- Diversification crops, 232
- Dommages hivernaux
 rusticité et croissance de *Thuja occidentalis* L. et de cinq cultivars, 169
- Dormant
 N fertilizer placement for canola, 15
- Drought
 AMBIOL and drought acclimation, 195
- Drought resistance
 in common bean, 491
- Dry matter digestibility
 IVDMD and RUP in alfalfa leaves and stems, 383
- Dry matter production
 AMBIOL and drought acclimation, 195
- Dry weight distribution
 bean response to hydrophobic mineral particles, 217
- Durum wheat
 identification of Canadian durum wheat cultivars, 35
- Dwarf sunflower
 agronomic performance of different stature sunflower, 43
- Early generation yield test
 drought resistance in common bean, 491
- Early maturity
 Kelsey summer rape, 559
- Early-season weed control
 timing of glyphosate application in direct-seeding systems, 611
- Echinacea*, 232
- Echium vulgare* L., 235
- Elemental sulphur
 effect of gypsum on rutabaga, 785
 sulphur and root maggots in canola, 599
- Elymus trachycaulus*
 short-lived intercrop forages affect perennial forage yields, 67
- Elytrigia repens* L. (Nevski)
 banded herbicides in potatoes, 617
- Emergence, relative time of
 effects of tartary buckwheat on barley, 861
- Environment
 genotype and environment effect on chickpea canning quality, 267
- Evapotranspiration
 stubble height effects on pulse yields, 681
- Evolution, 227
- Expression of resistance
 resistance to rust, mildew and wheat curl mite, 451
- F₂-derived family selection
 drought resistance in common bean, 491
- Faba bean
 metribuzin and trifluralin residues in faba bean, 257
- Fagopyrum tataricum*
 effects of tartary buckwheat on barley, 861
- Fanweed
 Thlaspi arvense L. (updated), 803
- Feed barley
 AC Maple barley, 93
 AC Vision barley, 551
- Fertile pods
 emergence and yields of chickpea and dry pea, 531
- Festuca campestris* Rydb.
 rough fescue (*Festuca campestris* Rydb.) response to heat injury, 721

- Field
 pea root biomass estimation using
 xylem sap Na^+ , 567
- Field pea (see Pea)
- Field pennycress
Thlaspi arvense L. (updated), 803
- Flax
 CDC Arras flax, 99
 CDC Bethune flax, 101
 CDC Normandy flax, 425
 CDC Valour flax, 427
 glyphosate residues in field pea,
 barley and flax, 485
- Flow cytometry, 231
- Flower loss
 flower and fruit loss in cherry, 157
- Flower production
 climatic factor effects on cotton
 production, 499
- Flowering phenology
 caraway flowering and honey bee
 foraging activity, 203
- Forage
 shoot to root ratios of forage crops,
 731
- Forage oat (spring)
 Murphy oat, 555
- Forage production
 legume-shrub mixtures for forage
 production, 357
- Forage quality
 legume-shrub mixtures for forage
 production, 357
 winter forage quality of range
 grasses, 329
- Forage yield
 short-lived intercrop forages affect
 perennial forage yields, 67
- Foxtail barley
 foxtail barley suppression, 89
- Foxtail, creeping
 foxtail barley suppression, 89
- Fragaria* \times *ananassa*, 231
- Fruit breeding, 231
- Fruit weight, mean, 231
- Fruit loss
 lower and fruit loss in cherry, 157
- Fungicide
 alfalfa seedbed preparation, 371
 leaf spotting diseases affect wheat
 yield and seed traits, 507
- Fusarium*
 alfalfa seedbed preparation, 371
 fusarium in alfalfa harvested in
 autumn, 621
- Gas chromatography
 metribuzin and trifluralin residues
 in faba bean, 257
- Gene *sr-1*
 a naked oat mutant with very short
 rachillas, 83
- Generic variation
 IVDMD and RUP in alfalfa leaves
 and stems, 383
- Genotype
 genotype and environment effect
 on chickpea canning quality,
 267
- Germination, 232
- Germination percentage
 salicylates and germination
 promotion at low temperature,
 443
- Germplasm
 CDC EMDR-4, CDC EMDR-9,
 and CDC EMDR-14 spring
 wheats, 411
 morphological variation of
Phalaris sp., 85
 line 211 spring wheat, 127
 W98616 white-seeded spring
 wheat, 129
- Ghana, 227
- Ginseng, 232
- Glucosinolate
 myrosinase activity in *B. juncea*
 progenies, 579
- Glycine max* (see Soybean)
- Glyphosate
 timing of glyphosate application in
 direct-seeding systems, 611
- Glyphosate residues
 glyphosate residues in field pea,
 barley and flax, 485
- Gomasho, 225
- Grain cadmium concentration
 cadmium and other elements in
 durum grain, 27
- Grain monolayer
 detection of *Cryptolestes*
ferrugineus in stored grain, 591
- Grain yield
 cadmium and other elements in
 durum grain, 27
- Grape, 227
 weather and grape production, 755
- Grass
 leaf development of grasses, 747
 winter survival of grasses, 701
- Grass, perennial
 root growth, appearance and
 disappearance in perennial
 grasses, 539
- Grass, range
 winter forage quality of range
 grasses, 329
- Grass seed crops
 determination of moisture in grass
 seeds, 401
- Grass seed production
 maintenance and rejuvenation of
 red fescue seed stands, 709
- Grass, warm season
 stomatal variability of native
 warm-season grasses, 349
- Grazing
 leaf development of grasses, 747
- Grazing season, extended
 winter forage quality of range
 grasses, 329
- Grazing systems
 grazing tolerance of alfalfa, 337
- Grazing tolerance
 grazing tolerance of alfalfa, 337
- Green manure
 grain yield and N benefits from
 single-year legumes, 53
- Greenhouse
 tomato in open or closed rockwool
 system, 771
- Growth promotion
 effects of *Bacillus cereus* UW85
 on grain legumes, 291, 283
- Growth, root
 root growth, appearance and
 disappearance in perennial
 grasses, 539
- Growth stages
 lowbush blueberry response to
 hexazinone, 781
- Gypsum
 effect of gypsum on rutabaga, 785
- Harvest management
 fusarium in alfalfa harvested in
 autumn, 621
- Harvest, time of
 determination of moisture in grass
 seeds, 401
- Haynaldia villosa*
 resistance to rust, mildew and
 wheat curl mite, 451
- Heartnut, 232
- Heat stress
 rough fescue (*Festuca campestris*
 Rydb.) response to heat injury,
 721
 weather and grape production, 755
- Height
 barley mixtures and yield, 1
- Herbicide
 banded herbicides in potatoes, 617
- Herbicide injury
 lowbush blueberry response to
 hexazinone, 781
 sweet corn tolerance to primisul
 furon, 261

- Herbicide residue
metribuzin and trifluralin residues
in faba bean, 257
- Herbicide resistance
herbicide-resistant wild oat, 463
wild oat response to herbicides in
canola, 797
- Hexazinone
herbicide effect on Canada thistle
varieties, 625
lowbush blueberry response to
hexazinone, 781
- History, 227
- Hive weights
caraway flowering and honey bee
foraging activity, 203
- Honey
caraway flowering and honey bee
foraging activity, 203
characterization of honeys, 75
- Hordeum vulgare* L. (see Barley)
- Hybrid canola
competitiveness of canola with
wild oat, 473
- Hybrides
rendement et valeur nutritive du
maïs fourrager, 319
- Hydro-distillation, 231
- 5-hydroxybenzimidazole
AMBIOL and drought acclimation,
195
- Imazethapyr
herbicide injury and planting date
affect soybean yield, 249
- Immature fruit loss
flower and fruit loss in cherry, 157
- Industry, 227
- Inheritance
inheritance of stem solidness in
wheat, 661
myrosinase activity in *B. juncea*
progenies, 579
- Injury, winter
weather and grape production, 755
- Inoculant failure
inoculation failure of field pea and
chickpea, 273
- Insect damage
flower and fruit loss in cherry, 157
- Interspecific hybridization
backcross progenies of *T. medium*
× *T. pratense*, 395
- Iris versicolor*, 232
- Irrigation, 226
effect of water on weed seedling
emergence, 855
- Juice and cider, 231
- K^+/Na^+
metabolisme du stress salin chez la
tomate, 177
- Kabuli chickpea
genotype and environment effect
on chickpea canning quality,
267
- Kaolin
bean response to hydrophobic
mineral particles, 217
- Kernel moisture
moisture in maize kernels at
physiological maturity, 549
- Lamb's-quarters
susceptibility of weeds to UV-B
radiation, 789
- Larval extraction
detection of *Cryptolestes*
ferrugineus in stored grain, 591
- Leaf
IVDMD and RUP in alfalfa leaves
and stems, 383
leaf development of grasses, 747
- Leaf spotting diseases
leaf spotting diseases affect wheat
yield and seed traits, 507
- Legume
effects of *Bacillus cereus* UW85
on grain legumes, 283, 291
grain yield and N benefits from
single-year legumes, 53
legume-shrub mixtures for forage
production, 357
- Lens culinaris* (see Lentil)
- Lentil
CDC Glamis lentil, 103
CDC Grandora lentil, 105
CDC Robin lentil, 111
CDC Sovereign lentil, 107
CDC Vantage lentil, 109
- Leymus angustus*
short-lived intercrop forages affect
perennial forage yields, 67
- Liming
soil pH and potato scab, 583
- Linum usitatissimum* L. (see Flax)
- Lycopersicon esculentum* L. (see
Tomato)
- Maïs fourrager
rendement et valeur nutritive du
maïs fourrager, 319
- Malus* × *domestica* Borkh. (see
Apple)
- Manure, green
grain yield and N benefits from
single-year legumes, 53
- Maturity
barley mixtures and yield, 1
neural networks to predict wheat
maturity, 7
- Meadow brome grass
winter survival of grasses, 701
- Mechanical rejuvenation
maintenance and rejuvenation of
red fescue seed stands, 709
- Mechanical treatments
economics of clubmoss control,
739
- Medicago sativa* L. (see Alfalfa)
- Melissopalynology
characterization of honeys, 75
- Meta-topolin
growth response to meta-topolin,
191
- Metribuzin
herbicide injury and planting date
affect soybean yield, 249
metribuzin and trifluralin residues
in faba bean, 257
- Microclimate
stubble height effects on pulse
yields, 681
- Milk line
moisture in maize kernels at
physiological maturity, 549
- Mixture, alternate-row/same row
barley mixtures and yield, 1
- Model
neural networks to predict wheat
maturity, 7
- Morphological traits
morphological variation of
Phalaris sp., 85
- Mortality
rough fescue (*Festuca campestris*
Rydb.) response to heat injury,
721
- Mulch, 226
- Mutant
a naked oat mutant with very short
rachillas, 83
- Myrosinase
myrosinase activity in *B. juncea*
progenies, 579
- Myrosinase activity
myrosinase activity in *B. juncea*
progenies, 579
- Na^+ uptake
pea root biomass estimation using
xylem sap Na^+ , 567
- Naked oat
a naked oat mutant with very short
rachillas, 83

- Native shrub
legume-shrub mixtures for forage production, 357
- Navigator®
Renegade BX summer oilseed rape, 435
- Nebraska Sandhills
stomatal variability of native warm-season grasses, 349
- Neural networks
neural networks to predict wheat maturity, 7
- Neutral detergent fibre
Bromus-poa response to defoliation, 365
weed management in perennial cereal rye, 457
- Newfoundland
rutabaga in eastern Canada, 221
- Nicotiana tabacum* L. (see Tobacco)
- Nitrogen, 225, 226
grain yield and N benefits from single-year legumes, 53
inoculation failure of field pea and chickpea, 273
- Nitrogen cycling
cropping sequence affects wheat productivity, 307
- Nitrogen fertilizer management
N fertilizer placement for canola, 15
N management and tillage effects in canola, 629
- Nodulation
effects of *Bacillus cereus* UW85 on grain legumes, 283
- Non-linear regression
effects of tartary buckwheat on barley, 861
yield-density relationship in bean, 521
- Non-target crops
herbicides in rainfall affecting sensitive crops, 481
- Noodle colour
AC2000 hard white spring wheat, 415
- Northern Mixed Prairie
economics of clubmoss control, 739
- Nuclear magnetic resonance imaging
water distribution in soybean seeds, 513
- Nursery crops, 226
- Nutrient management, 226
- Oat
Murphy oat, 555
naked oat mutant with very short rachillas, 83
short-lived intercrop forages affect perennial forage yields, 67
- Oenothera biennis*, 232
- Oil content
Kelsey summer rape, 559
P fertility of fall and spring seeded canola, 21
- Oil recovery rate, 231
- Oilseed
CDC Arras flax, 99
CDC Bethune flax, 101
CDC Normandy flax, 425
CDC Valour flax, 427
Renegade BX summer oilseed rape, 435
- Oilseed potential
Thlaspi arvense L. (updated), 803
- Oilseed rape (summer)
Renegade BX summer oilseed rape, 435
- Opener type
field pea seeding management, 639
- Orchardgrass
winter survival of grasses, 701
- Ornamental, 226
- Ornamental trees, 226
- Palynology
characterization of honeys, 75
- Pea
CDC Handel field pea, 117
CDC Minuet field pea, 113
CDC Montero field pea, 121
CDC Mozart field pea, 429
CDC Verdi field pea, 433
DS Admiral field pea, 751
DS Dominator field pea, 753
effects of *Bacillus cereus* UW85 on grain legumes, 283
emergence and yields of chickpea and dry pea, 531
field pea seeding management, 639
glyphosate residues in field pea, barley and flax, 485
inoculant and seed fungicide for field pea, 645
inoculation failure of field pea and chickpea, 273
pea root biomass estimation using xylem sap Na^+ , 567
resistance to rust in field pea, 253
- Perennial cereal rye
weed management in perennial cereal rye, 457
- Perennial grasses
root growth, appearance and disappearance in perennial grasses, 539
- Peroxidase
growth response to *meta*-topolin, 191
- Persistence
grazing tolerance of alfalfa, 337
- Petiole spotting, 225
- Phalaris*
morphological variation of *Phalaris* sp., 85
- Phaseolus vulgaris* L. (see Bean)
- Phenotype
barley mixtures and yield, 1
- Phenoxy herbicides
herbicides in rainfall affecting sensitive crops, 481
- Phoma*
alfalfa seedbed preparation, 371
- Phosphorus, 225
- Photosynthesis
bean response to hydrophobic mineral particles, 217
- Pin cherry
flower and fruit loss in cherry, 157
- Pisum sativum* L. (see Pea)
- Placement methods
correcting S deficiency in canola in the growing season, 665
- Plant arrangement
field pea seeding management, 639
- Plant height
morphological characteristics of crested wheatgrass, 693
- Plasmodiophora brassicae*
rutabaga in eastern Canada, 221
- Ploidy, 231
- Poa*
residue management increases seed yield, 687
- Poa alpina* L. (see Bluegrass, Alpine)
- Poa pratensis*
Bromus-poa response to defoliation, 365
- Pod, fertile
emergence and yields of chickpea and dry pea, 531
- Pollen-trap collection
caraway flowering and honey bee foraging activity, 203
- Pollination
flower and fruit loss in cherry, 157
- Polyamine
growth response to *meta*-topolin, 191
- Polygonum persicaria*
susceptibility of weeds to UV-B radiation, 789
- Polyploidy
morphological characteristics of crested wheatgrass, 693

- Potato
 banded herbicides in potatoes, 617
 management of potato scab, 185
- Potato scab
 management of potato scab, 185
 soil pH and potato scab, 583
- Powdery mildew resistance
 AC Vision barley, 551
 CDC Handel field pea, 117
 CDC Minuet field pea, 113
 CDC Montero field pea, 121
 CDC Mozart field pea, 429
 DS Admiral field pea, 751
 DS Dominator field pea, 753
- Power-harrowing
 maintenance and rejuvenation of
 red fescue seed stands, 709
- Prairie, Canadian
 neural networks to predict wheat
 maturity, 7
- Prairie, northern mixed
 economics of clubmoss control,
 739
- Preharvest sprouting resistance
 AC2000 hard white spring wheat,
 415
 CDC EMDR-4, CDC EMDR-9,
 and CDC EMDR-14 spring
 wheats, 411
 line 211 spring wheat, 127
 W98616 white-seeded spring
 wheat, 129
- Preharvest treatment
 glyphosate residues in field pea,
 barley and flax, 485
- Priming, 232
- Primisulfuron
 sweet corn tolerance to
 primisulfuron, 261
- Processing
 row arrangement and plant density
 of processing tomato, 765
- Proline
 métabolisme du stress salin chez la
 tomate, 177
- Protein
 N management of spring milling
 wheat, 653
- Pruning, 227
- Prunus avium*, 229
- Psathyrostachys juncea*
 short-lived intercrop forages affect
 perennial forage yields, 67
- Puccinia striiformis*
 resistance to rust, mildew and
 wheat curl mite, 451
- Pulse crop
 cropping sequence affects wheat
 productivity, 307
- stubble height effects on pulse
 yields, 681
- Pythium*
 alfalfa seedbed preparation, 371
- Quackgrass
 banded herbicides in potatoes, 617
- Quality
 yield and dry matter of recent
 Canadian spring wheat cultivars,
 299
- Quebec, 227
- Rachilla, very short
 a naked oat mutant with very short
 rachillas, 83
- Radish cotyledon
 growth response to *meta*-topolin,
 191
- Radish, wild
 banded herbicides in potatoes, 617
- Rain
 herbicides in rainfall affecting
 sensitive crops, 481
 rain-induced fruit cracking, 229
- Range grasses
 winter forage quality of range
 grasses, 329
- Range improvements
 economics of clubmoss control,
 739
- Range management
 economics of clubmoss control,
 739
- Rape (summer)
 Kelsey summer rape, 559
- Raphanis raphanistrum* L.
 banded herbicides in potatoes, 617
- Raspberry, 231
- Rate of germination
 salicylates and germination
 promotion at low temperature,
 443
- Reclamation
 AEC Glacier alpine bluegrass, 95
- Récoltes tardives
 rendement et valeur nutritive du
 maïs fourrager, 319
- Recycling
 tomato in open or closed rockwool
 system, 771
- Red clover
 N management of spring milling
 wheat, 653
- Red winter wheat
 AC Grandview winter wheat, 421
- Redroot pigweed
 susceptibility of weeds to UV-B
 radiation, 789
- Reduced tillage
 timing of glyphosate application in
 direct-seeding systems, 611
- Regrowth
 leaf development of grasses, 747
- Rejuvenation of creeping red fescue
 maintenance and rejuvenation of
 red fescue seed stands, 709
- Rejuvenation, mechanical
 maintenance and rejuvenation of
 red fescue seed stands, 709
- Relative time of emergence
 effects of tartary buckwheat on
 barley, 861
- Rendement
 effet de la densité de peuplement
 sur soya, 675
- rendement et valeur nutritive du maïs
 fourrager, 319
- Replacement series
 competitiveness of canola with
 wild oat, 473
- Resistance
 resistance to rust in field pea, 253
- Rockwool
 tomato in open or closed rockwool
 system, 771
- Root and crown rot
 fusarium in alfalfa harvested in
 autumn, 621
- Root biomass
 pea root biomass estimation using
 xylem sap Na⁺, 567
 shoot to root ratios of forage crops,
 731
- Root growth
 root growth, appearance and
 disappearance in perennial
 grasses, 539
- Rot, root and crown
 fusarium in alfalfa harvested in
 autumn, 621
- Rotary cultivation
 maintenance and rejuvenation of
 red fescue seed stands, 709
- Roundup Ready®
 Kelsey summer rape, 559
- Row, narrow
 yield-density relationship in bean,
 521
- Row seeding
 P fertility of fall and spring seeded
 canola, 21
- Row spacing
 field pea seeding management, 639
 residue management increases seed
 yield, 687
- Ruminal undegradable proteins
 IVDMD and RUP in alfalfa leaves
 and stems, 383

- Rust**
 resistance to rust in field pea, 253
- Rust, stripe**
 resistance to rust, mildew and wheat curl mite, 451
- Rutabaga**
 effect of gypsum on rutabaga, 785
 rutabaga brown-heart control, 561
 rutabaga in eastern Canada, 221
- Rye, perennial cereal**
 weed management in perennial cereal rye, 457
- Salicylates**
 salicylates and germination promotion at low temperature, 443
- Salinity**
 foxtail barley suppression, 89
- Saltbush**
 legume-shrub mixtures for forage production, 357
- Saskatchewan**
 yield-density relationship in bean, 521
- Sawfly**
 inheritance of stem solidness in wheat, 661
- Scab, common**
 management of potato scab, 185
 soil pH and potato scab, 583
- Scab resistance, 231**
- Scientific societies, 227**
- Seed dormancy**
 CDC EMDR-4, CDC EMDR-9, and CDC EMDR-14 spring wheats, 411
 line 211 spring wheat, 127
- Seed moisture measurement**
 determination of moisture in grass seeds, 401
- Seed production**
 residue management increases seed yield, 687
- Seed quality**
 correcting S deficiency in canola in the growing season, 665
- Seed size**
 emergence and yields of chickpea and dry pea, 531
- Seed treatment**
 alfalfa seedbed preparation, 371
- Seed yield**
 agronomic performance of different stature sunflower, 43
 drought resistance in common bean, 491
- Seeding, broadcast**
 P fertility of fall and spring seeded canola, 21
- Seeding date**
 emergence and yields of chickpea and dry pea, 531
 N fertilizer placement for canola, 15
 P fertility of fall and spring seeded canola, 21
- Seeding rate**
 field pea seeding management, 639
 yield-density relationship in bean, 521
- Selaginella densa* Rydb.**
 economics of clubmoss control, 739
- Selection pressure**
 wild oat response to herbicides in canola, 797
- Sensitivity**
 sweet corn tolerance to primisulfuron, 261
- Sensory evaluation**
 apple fruit size preference, 165
- Sequence tagged sites**
 identification of Canadian durum wheat cultivars, 35
- Setaria viridis***
 susceptibility of weeds to UV-B radiation, 789
- Shelf life, 231**
- Shepherd's-purse**
 susceptibility of weeds to UV-B radiation, 789
- Shoot to root ratios**
 shoot to root ratios of forage crops, 731
- Six-rowed barley**
 AC Maple barley, 93
- Smooth brome grass**
 winter survival of grasses, 701
- Soil and leaf nutrient concentrations, 225**
- Soil moisture**
 effect of water on weed seedling emergence, 855
- Soil organic matter**
 shoot to root ratios of forage crops, 731
- Solanum tuberosum* L. (see Potato)**
- Solid-seeded**
 yield-density relationship in bean, 521
- Solid-stemmed**
 inheritance of stem solidness in wheat, 661
- Soluble solids**
 row arrangement and plant density of processing tomato, 765
- Somaclonal variation**
 CDC Normandy flax, 425
- Soya**
 effet de la densité de peuplement sur soya, 675
- Soybean**
 effects of *Bacillus cereus* UW85 on grain legumes, 283, 291
 herbicide injury and planting date affect soybean yield, 249
 water distribution in soybean seeds, 513
- Spectral reflectance**
 inoculation failure of field pea and chickpea, 273
- Spray conditions**
 chemical thinning of apples unaffected by spray timing, 437
- Spergula arvensis* L.**
 banded herbicides in potatoes, 617
- Sprouting resistance, pre-harvest**
 AC2000 hard white spring wheat, 415
 CDC EMDR-4, CDC EMDR-9, and CDC EMDR-14 spring wheats, 411
 line 211 spring wheat, 127
 W98616 white-seeded spring wheat, 129
- Stem**
 IVDMD and RUP in alfalfa leaves and stems, 383
- Stinkweed**
Thlaspi arvense L. (updated), 803
- Stipa* species**
 root growth, appearance and disappearance in perennial grasses, 539
- Stomatal characteristics**
 stomatal variability of native warm-season grasses, 349
- Stratification, 232**
- Streptomyces scabies***
 management of potato scab, 185
 soil pH and potato scab, 583
- Stress, heat**
 rough fescue (*Festuca campestris* Rydb.) response to heat injury, 721
 weather and grape production, 755
- Stress, saline**
 métabolisme du stress salin chez la tomate, 177
- Stress, water**
 root growth, appearance and disappearance in perennial grasses, 539
 stomatal variability of native warm-season grasses, 349
- Stripe rust**
 resistance to rust, mildew and wheat curl mite, 451

- Stubble height
stubble height effects on pulse yields, 681
- Stunting
herbicide injury and planting date affect soybean yield, 249
- Sub-lethal effects
herbicides in rainfall affecting sensitive crops, 481
- Sulphate
sulphur and root maggots in canola, 599
- Sulphur, elemental
effect of gypsum on rutabaga, 785
sulphur and root maggots in canola, 599
- Sulphur index
correcting S deficiency in canola in the growing season, 665
- Sulphur rate
correcting S deficiency in canola in the growing season, 665
- Sunflower, dwarf
agronomic performance of different stature sunflower, 43
- Sunola
agronomic performance of different stature sunflower, 43
- Survey
herbicide-resistant wild oat, 463
- Swathing
determination of moisture in grass seeds, 401
- Swede
rutabaga in eastern Canada, 221
- Synthetic
ACS-C7 summer turnip rape, 123
- Tall fescue
foxtail barley suppression, 89
- Taraxacum officinale* G. H. Weber ex Wiggers, 825
- Thifensulfuron
herbicide injury and planting date affect soybean yield, 249
- Thiram (dithiocarbamate)
inoculant and seed fungicide for field pea, 645
- Thlaspi arvense* L. (updated), 803
- Thompson Laurentian
rutabaga brown-heart control, 561
- Thrip, 226
- Thuja occidentalis* L.
rusticité et croissance de *Thuja occidentalis* L. et de cinq cultivars, 169
- Tillage, conservation
N management and tillage effects in canola, 629
- Tillage, reduced
timing of glyphosate application in direct-seeding systems, 611
- Tillage, zero
inoculant and seed fungicide for field pea, 645
- Tiller
rough fescue (*Festuca campestris* Rydb.) response to heat injury, 721
- Tiller characteristics
morphological characteristics of crested wheatgrass, 693
- Time of harvest
determination of moisture in grass seeds, 401
- Timothy
winter survival of grasses, 701
- Tobacco
CT144 flue-cured tobacco, 587
CT572 flue-cured tobacco, 589
- Tolérance au froid
rusticité et croissance de *Thuja occidentalis* L. et de cinq cultivars, 169
- Tomate
métabolisme du stress salin chez la tomate, 177
- Tomato
tomato in open or closed rockwool system, 771
row arrangement and plant density of processing tomato, 765
- Trellising, 227
- Trichoderma*, 232
- Trifluralin
metribuzin and trifluralin residues in faba bean, 257
- Trifolium medium*
backcross progenies of *T. medium* × *T. pratense*, 395
- Trifolium pratense*
backcross progenies of *T. medium* × *T. pratense*, 395
N management of spring milling wheat, 653
- Triticum aestivum* L. (see Wheat)
- Triticum turgidum* L. var. *durum* (see Wheat, Durum)
- Turfgrass
residue management increases seed yield, 687
- Turnip rape (summer)
ACS-C7 summer turnip rape, 123
- Ultraviolet-B
susceptibility of weeds to UV-B radiation, 789
- Underseeding
N management of spring milling wheat, 653
- Uromyces fabae*
resistance to rust in field pea, 253
- Vaccinium angustifolium* Ait. (see Blueberry)
- Valeur nutritive
rendement et valeur nutritive du maïs fourrager, 319
- Variety *horridum*
herbicide effect on Canada thistle varieties, 625
- Variety *integrifolium*
herbicide effect on Canada thistle varieties, 625
- Vegetable, 227
- Venturia inaequalis*, 231
- Vicia faba* L. (see Faba bean)
- Vine size, 227
- Viper's bugloss
Echium vulgare L., 235
- Vitis vinifera* L. (see Grape)
- Warm season grasses
stomatal variability of native warm-season grasses, 349
- Water
Bromus-poa response to defoliation, 365
- Water bath
rough fescue (*Festuca campestris* Rydb.) response to heat injury, 721
- Water distribution
water distribution in soybean seeds, 513
- Water imbibition
water distribution in soybean seeds, 513
- Water stress
root growth, appearance and disappearance in perennial grasses, 539
stomatal variability of native warm-season grasses, 349
- Water use
cropping sequence affects wheat productivity, 307
- Water use efficiency
agronomic performance of different stature sunflower, 43
- Weather
neural networks to predict wheat maturity, 7
- Weed biology
Echium vulgare L., 235
Taraxacum officinale G. H. Weber ex Wiggers, 825

- Thlaspi arvense* L. (updated), 803
- Weed control
 lowbush blueberry response to hexazinone, 781
 timing of glyphosate application in direct-seeding systems, 611
 weed management in perennial cereal rye, 457
- Weed emergence
 effect of water on weed seedling emergence, 855
- Weed management
 weed management in perennial cereal rye, 457
- Weed sleeve, 226
- Weed suppression
 foxtail barley suppression, 89
- Wet soils
 foxtail barley suppression, 89
- Wheat
 leaf spotting diseases affect wheat yield and seed traits, 507
 neural networks to predict wheat maturity, 7
 plot combine modified for harvesting single rows, 153
 timing of glyphosate application in direct-seeding systems, 611
 yield and dry matter of recent Canadian spring wheat cultivars, 299
- Wheat curl mite
 resistance to rust, mildew and wheat curl mite, 451
- Wheat, Durum
 cadmium and other elements in durum grain, 27
 identification of Canadian durum wheat cultivars, 35
 inheritance of stem solidness in wheat, 661
- Wheat, hard white spring
 AC2000 hard white spring wheat, 415
- Wheat, red winter
 AC Grandview winter wheat, 421
- Wheat, spring
 CDC EMDR-4, CDC EMDR-9, and CDC EMDR-14 spring wheats, 411
 cropping sequence affects wheat productivity, 307
 line 211 spring wheat, 127
 N management of spring milling wheat, 653
 W98616 white-seeded spring wheat, 129
 yield and dry matter of recent Canadian spring wheat cultivars, 299
- Wheat, winter
 AC Grandview winter wheat, 421
- CDC raptor winter wheat, 407
- Wheatgrass, crested
 morphological characteristics of crested wheatgrass, 693
- Wild radish
 banded herbicides in potatoes, 617
- Winter forage quality
 winter forage quality of range grasses, 329
- Winter injury
 weather and grape production, 755
- Winterfat
 legume-shrub mixtures for forage production, 357
- Xylem delivery
 pea root biomass estimation using xylem sap Na^+ , 567
- Yield components
 yield-density relationship in bean, 521
- York
 rutabaga brown-heart control, 561
- Zea mays* L. (see Corn)
- Zero tillage
 inoculant and seed fungicide for field pea, 645

